

HARDWARE OFFERING













































Industry Leading Printers For Any Size Business

Whatever Your Budget or Business Volume, HP and Grimco Have a Safe and Solvent-Free Solution

HP LATEX PRINTERS













| | HP Latex 115 | HP Latex 315 | HP Latex 335 | HP Latex 365 | HP Latex 700W | HP Latex 800W |
|--|--------------------|---------------------------|---------------------------|-----------------------|---|--|
| Size | 54" wide | 54" wide | 64" wide | 64" wide | 64" wide | 64" wide |
| Warm Up | Less than 1.5 min | Less than 1.5 min | Less than 1.5 min | Less than 1.5 min | Less than 1.5 min | Less than 1.5 min |
| Backlits & Textiles - 16 pass | 54 sq ft/hr | 65 sq ft/hr | 65 sq ft/hr | 65 sq ft/hr | 183 sq ft/hr (8 pass) | 215 sq ft/hr (8 pass) |
| Indoor Quality | 129 sq ft/hr | 129 sq ft/hr (8 pass) | 137 sq ft/hr (8 pass) | 183 sq ft/hr (8 pass) | 226 sq ft/hr (6 pass) | 269 sq ft/hr (6 pass) |
| Outdoor Plus | 174 sq ft/hr | 174 sq ft/hr (6 pass) | 183 sq ft/hr (6 pass) | 248 sq ft/hr (6 pass) | 334 sq ft/hr (4 pass) | 388 sq ft/hr (4 pass) |
| Max Roll Weight | 55 lbs | 55 lbs | 92.6 lbs | 92.6 lbs | 121 lbs | 121 lbs |
| Ink configuration | CMYKLcLm+optimizer | CMYKLcLm+optimizer | CMYKLcLm+optimizer | CMYKLcLm+optimizer | CMYKLcLm0pt0cW | CMYKLcLm0pt0cW |
| Ink Size | 400 mL | 775 mL | 775 mL | 775 mL | 1L | 3L Bulk |
| Cost per cartridge, per mL | \$107/0.27 | \$152/0.20 | \$152/0.20 | \$152/0.20 | \$192/0.19 | \$402/0.13 |
| Take up reel | Optional | Optional | Included | Included | Included | Included |
| RIP | Sai Flexiprint | Sai Flexiprint-HP Edition | Sai Flexiprint-HP Edition | Not included | 1 yr Onyx subscription | 1 yr Onyx subscription |
| Control Panel | 4" touchscreen | 4" touchscreen | 4" touchscreen | 8" touchscreen | 8" touchscreen | 8" touchscreen |
| Ink included with printer | No | Yes | Yes | Yes | No | No |
| HP Latex Mobile App | Yes | Yes | Yes | Yes | HP PrintOS | HP PrintOS |
| Superior color management with built-in i1 Spectrophotometer | No | No | No | Yes | Yes | Yes |
| HP Optical Media Advance Sensor | Yes | Yes | Yes | Yes | Yes | Yes |
| Ink collector for textile printing | No | No | No | Yes | Optional Accessory | Optional Accessory |
| Automated X cutter on board | Yes | Yes | Yes | Yes | Yes | Yes |
| | | | | | *Equipment versions offered without White | *Equipment versions offered without White |

HP LATEX PRINT AND CUT SOLUTIONS







| | L115 Print and Cut | L315 Print and Cut | L335 Print and Cut |
|-------------------------------|---|---|---|
| Printer | | | |
| Size | 54" wide | 54" wide | 64" wide |
| Backlits & Textiles (16 pass) | 65 sq ft/hr | 65 sq ft/hr | 65 sq ft/hr |
| Indoor Quality (8 pass) | 129 sq ft/hr | 129 sq ft/hr | 137 sq ft/hr |
| Outdoor Plus (6 pass) | 174 sq ft/hr | 174 sq ft/hr | 183 sq ft/hr |
| Max Roll Weight | 55 lbs | 55 lbs | 92.6 lbs |
| Ink Configuration | CMYKLcLm +optimizer | CMYKLcLm +optimizer | CMYKLcLm +optimizer |
| Ink Size | 400mL | 775mL | 775mL |
| Cost per cartridge, per mL | \$107/0.27 | \$152/0.20 | \$152/0.20 |
| Take Up Reel | Optional | Optional | Included |
| RIP | HP FlexiPRINT and CUT RIP | HP FlexiPRINT and CUT RIP | HP FlexiPRINT and CUT RIP |
| Cutter | | | |
| Size | 53.1" | 53.1" | 62.2" |
| Cut Type | Drag-knife with TurboCut and Tangential emulation modes | Drag-knife with TurboCut and Tangential emulation modes | Drag-knife with TurboCut and Tangential emulation modes |
| Cut Speed | Up to 44 in/sec diagonal | Up to 44 in/sec diagonal | Up to 44 in/sec diagonal |
| Acceleration | Up to 3 G diagonal | Up to 3 G diagonal | Up to 3 G diagonal |
| Cut Thickness | .002 to .01 in | .002 to .01 in | .002 to .01 in |
| Connectivity | USB and Ethernet (LAN) | USB and Ethernet (LAN) | USB and Ethernet (LAN) |
| Software | HP Cutter Control | HP Cutter Control | HP Cutter Control |
| | | | |



HP Latex Rigid Technology
New technology enables latex printing on multiple surfaces, including breakthrough HP White Latex Ink

HP LATEX R SERIES PRINTERS





| | HP Latex R1000 Plus Printer | HP Latex R2000 Plus Printer |
|---------------------------------------|-----------------------------|-----------------------------|
| Dimensions | | |
| Printer (W x D x H) | 166" x 80" x 69" | 201"x 80"x 69" |
| Printing including standard input and | | |
| output tables (W x D x H) | 166" x 143" x 69" | 201" x 143" x 69" |
| Rigid printing | | |
| Maximum width | 64" x 120" | 98" x 120" |
| Flexible printing | | |
| Maximum width | 64" | 98" |
| Maximum weight | 150 lb | 220 lb |
| Productivity | | |
| Outdoor (3p 70%) | 590 ft²/hr | 948 ft²/hr |
| Indoor (6p 110%) | 311 ft²/hr | 496 ft²/hr |
| Ink cartridges | | |
| Size color | 3 L | 5L |
| Size white | 3 L | 3 L |
| | | |
| | | |

HP STITCH DYE SUBLIMATION SOLUTIONS







| | \$300 | \$500 | S1000 |
|--|--|--|--|
| Printer | · | | |
| Size | 64" wide | 64" wide | 126" wide |
| Backlits & (6 pass) | 235 sq ft/hr | 235 sq ft/hr | 1080 sq ft/hr |
| Production Fast (3 pass) | 460 sq ft/hr | 460 sq ft/hr | 1720 sq ft/hr |
| Production Quality (4 pass) | 365 sq ft/hr | 365 sq ft/hr | 1400 sq ft/hr |
| Max Roll Weight | 92.6 lbs | 121 lbs | 660 lb (126-in roll); 220 lb (63-in roll) |
| Ink Configuration | CMYK | CMYK | CMYK |
| Ink Size | 775 mL | 3000 mL | 10000 mL |
| Cost per mL | \$0.15 /ml | \$0.12 /mL | \$0.09 /mL |
| Take Up Reel | Included | Included | Included |
| RIP | Included - HP Ergosoft RIP Color Edition | Included - HP Ergosoft RIP Color Edition | No RIP Included |
| Superior Color Management with | | | |
| built-in i1 Spectrophotometer | Included - external device need to make icc profiles | Included - external device need to make icc profiles | Included - external device need to make icc profiles |
| HP Optical Media Advance Sensor | Included | Included | Included |
| Ink Collector | | | |
| (direct polyester fabrics) | Included | Included | Included |
| Automated X cutter on board | Included | Included | No on board X Cutter |
| Media Types | Sublimation transfer papers and | Sublimation transfer papers and | Sublimation transfer papers and |
| | sublimation polyester fabrics | sublimation polyester fabrics | sublimation polyester fabrics |
| | | | |



EPSON SURECOLOR PRINTERS

S-Series Eco-Solvent Printers







| | S40600 | S60600 | \$80600 |
|-----------------------------|---------------------|---------------------|------------------------------|
| Maximum Substrate Width | 64" wide | 64" wide | 64" wide |
| Minimum Substrate Width | 12" wide | 12" wide | 12" wide |
| Number of Printheads | 1 | 2 | 2 |
| Speed | Banner | Banner | Banner |
| Draft | 610 sq ft/hr | 1010 sq ft/hr | 1010 sq ft/hr |
| Production | 215 sq ft/hr | 550 sq ft/hr | 340 sq ft/hr |
| Quality | 170 sq ft/hr | 310 sq ft/hr | 195 sq ft/hr |
| Maximum Resolution | 1440 x 1440 dpi | 1440 x 1440 dpi | 1440 x 1440 dpi |
| Max Media Thickness | 1 mm | 1 mm | 1 mm |
| Max Roll Weight | 95 lbs | 95 lbs | 95 lbs |
| Ink Configuration | CMYK | Dual CMYK | C, M, Y, K, LC, LM, LK, O, R |
| | | | (White or Silver Available) |
| Ink Cartridge Size | 700 mL | 700 mL | 700 mL |
| Cost Per Cartridge/mL | \$0.29/mL | \$0.29/mL | \$0.29/mL |
| Take Up Reel | Included | Included | Included |
| RIP Included | ONYX Gama Print PRO | ONYX Gama Print PRO | ONYX Gama Print PRO |
| Fan Dryer | Not Needed | Included | Optional |
| | | | |



EPSON SURECOLOR PRINTERS

Roll-to-Roll Resin Signage and UV Flatbed Printers







| | | The second secon | | | |
|--|--|--|--|---|--|
| | R5070 | R5070L | | V7000 UV Flatbed | |
| Maximum Substrate Width Minimum Substrate Width Printheads Max Resolution Max Media Thickness Max Roll Weight Ink Configuration | 64" wide 12" wide Advanced PrecisionCore TFP® 12 1200x2400 1mm 100 lbs CMYK, LM, LC, OP, ML | 64" wide 12" wide Advanced PrecisionCore TFP® 12 1200x2400 1mm 100 lbs CMYK, LM, LC, OP, ML | Max Printing Area Max Substrate Thickness Max Resolution Rated Voltage Rated Current Power Consumption Ink Configuration | 98" x 49" 3.14" 720x1440dpi AC 200 V, 208 V, 220 V, 230 V, 240 V, 50/60 Hz 29 A Approx. 4.2 kW CMYK, LM, LC, GR, R + WH | |
| Starter Set Ink Size Cost per Cartridge/mL Take Up Reel RIP Included | No 1.5L \$0.15/mL Included Epson Edge | No 1.5L x 2 \$0.13/mL Included Epson Edge | Ink Size RIP Included | and Va 10-color 1000mL ink bottles Epson Edge | |



EPSON SURECOLOR PRINT AND CUT SOLUTIONS





S40600 Print Cut Bundle

S60600 Print Cut Bundle

Size 64" wide

Media Roll Weight 95 lb

Ink Configuration CMYK Ink Cartridge Size 700 mL

Speed-Maximum 610 sqft/hr

Speed-Quality 140 sqft/hr

Software Onyx Gamma Print PRO (RIP included)

Starter Ink Set Included

Take Up Reel Included Dryer Included No

Cost Per Cartridge/mL \$0.29/mL 95 lb

Dual CMYK

64" wide

700 mL

1020 sqft/hr

190 sqft/hr

Onyx Gamma Print PRO (RIP included)

No

Included

Yes

\$0.29/mL

Cutter

Model Graphtec FC9000-130

Size 54"

Cut Type Contour, Perf Cut Enabled 58.5 in/s

Cut Speed-Maximum

Cut Width-Maximum 20-600 gf

Cutting Force

Graphtec FC9000-130

54"

Contour, Perf Cut Enabled 58.5 in/s

54"

20-600 gf



EPSON DYE SUBLIMATION

F-Series Dye Sublimation Printers













| | F570 | F6370SE | F6370PE | F7200 | F9470 | F9470H |
|-----------------------------|-------------------------------|------------------|------------------|-----------------|------------------|------------------|
| Maximum Substrate Width | 24" wide | 44" wide | 44" wide | 64" wide | 64" wide | 64" wide |
| Minimum Substrate Width | 8.27" wide roll, letter sheet | 12" wide | 12" wide | 12" wide | 11.8" wide | 11.8" wide |
| Number of Printheads | 1 | 1 | 1 | 1 | 2 | 2 |
| Print Speeds | | | | | | |
| Draft | N/A | 634 sq ft/hr | 634 sq ft/hr | 634 sq ft/hr | 1,169 sq ft/hr | 1,169 sq ft/hr |
| Production | N/A | 325 sq ft/hr | 325 sq ft/hr | 325 sq ft/hr | 1,004 sq ft/hr | 1,004 sq ft/hr |
| Quality | N/A | 119 sq ft/hr | 119 sq ft/hr | 119 sq ft/hr | 568 sq ft/hr | 568 sq ft/hr |
| Maximum Resolution | 2400 x 1200 dpi | 1440 x 720 dpi | 1440 x 720 dpi | 1440 x 720 dpi | 1440 x 720 dpi | 1440 x 720 dpi |
| Max Media Thickness | 8.6 mil | .5 mm | .5 mm | 1 mm | 1 mm | 1 mm |
| Max Roll Weight | | | | 90 lbs | 100 lbs | 100 lbs |
| Ink Configuration | CMYK | CMYHDK | CMYHDK | CMYHDK | CMYHDKFyFp | CMYHDKFyFp |
| Ink Cartridge Size | 4.73 fl oz | 1 liter | 1 liter | 1 liter | 1 liter | 1 liter |
| Take Up Reel | No Take Up Reel | No Take Up Reel | Included | Included | Included | Included |
| RIP Included | No RIP | Epson Edge Print | Epson Edge Print | Wasatch SoftRip | Epson Edge Print | Epson Edge Print |



DIRECT TO GARMENT PRINTERS & ACCESSORIES

F-Series Direct to Garment Printer





LAWSON Pretreatment Machines





F2100 with white

Max Resolution 1440 x 1440 dpi w/white 1440 x 720 dpi w/color

Ink Type UltraChrome DG Ink

Ink Configuration C, M, Y, K, WH
Ink Cartridge Size 600 mL

RIP Included Epson Print Utilities and Epson **Printer Interfaces** Garment Creator Hi-Speed USB

Optional Accessories

Large garment platen 16 x 20
Extra small garment platen 7 x 8
Small garment platen 10 x 12
Medium grooved garment platen 14 x
16 Sleeve platen 4 x 4
DTG printer floor stand



F3070 Industrial

1200x1200 dpi

Epson UltraChrome DG C, M, Y, K, WH 1500 mL

Epson Garment Creator Software Hi-Speed USB 3.0 (1 port) 1000Base-T Ethernet (1 port)

Pre-Treat Zoom-AE

All-Electric, Space-Saving Design

Floor Leg Design with Casters for easy portability (legs

may be removed if desired)
Large Spray Area: up to 17" x 20"

Zero Out-Spray Design

Manual Easy-Slide Drawer (Auto-Drawer Available)

Garment Tuck Tray

Digital Spray Speed Display

Adjustable Spray Area Length

Quick-Change Twist On/Off Spray Nozzle

Two (2) Gallon Size Solution Containers

Ultra Quiet Operation

Rugged All Metal Construction

One-Year Limited Parts Warranty

Silver-Jet V2 Sprayer

All-Electric, Space-Saving Design Bench Model Design for Easy Portability

Large Spray Area: up to 16" x 18"

Zero Out-Spray Design

Manual Easy-Slide Drawer

Garment Tuck Tray

Adjustable Spray Area Length

Quick-Change Twist On/Off Spray Nozzle

Side-Mounted Solution Container is easily Visible

Ultra-Quiet Operation

Rugged All Metal Construction

One-Year Limited Parts Warranty

Optional Features

Floor Legs

DYE SUBLIMATION & DIRECT TO GARMENT ACCESSORIES



Digital Knight DK20S Digital Swinger w/stand Other models and sizes available





Maxi-4464AP 44x64 Air Automatic Other models and sizes available





Klieverik GTC101-1850SPFL Single Piece Flowline Calender KLIEVERIK



Royal Sovereign LX-130 - Piece to Roll Calender AS Sovereign



Royal Sovereign PX-181F — Roll-to-Roll Transfer Solution





GTC101-1850 Transfer and Fixation Belt Calender









PLOTTERS & LAMINATORS



Graphtec FC9000 Series Plotter size, 30'; 42'; 54'; 64"

GRAPHTEC



CE7000 Professional 15", 24'; 50"

GRAPHTEC



Summa S1 Series 30", 48", 54", 62"





Summa S2 D-Series 30", 48", 54", 62"





Summa S2 T-Series 30", 48", 54", 62"









SEAL 54 & 65 EL

SEAL.



SEAL 54 & 62 Base

SEAL.



SEAL 65 Pro MD

SEAL.



GFP 200 Series Laminator





GFP 300 Series Laminator





GFP 500 Series Laminator





EPSON SUPERCOLOR PRINTERS

P Series Printers













| | P10000 SE | P10000 PE | P20000 SE | P20000 PE | P7570 | P9570 |
|------------------------------------|------------------------------------|------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|
| Size | 44" Wide | 44"Wide | 64" wide | 64" wide | 24" wide | 44" wide |
| Maximum Paper Width | 44" | 44" | 64" | 64" | 24" | 44" |
| Minimum Paper Width | 10" | 10" | 10" | 10" | 10" | 10" |
| Minimum Cut Sheet Size | 8.5" x 11" | 8.5" x 11" | 8.5" x 11" | 8.5" x 11" | 8.5" x 11" | 8.5" x 11" |
| Minimum Recommended Cut Sheet | 13" x 19" | 13" x 19" | 13" x 19" | 13" x 19" | 13" x 19" | 13" x 19" |
| Maximum Printable Cut Sheet Length | 80" | 80" | 80" | 80" | 80" | 80" |
| Maximum Printable Roll Length | 590.55" | 590.55" | 590.55" | 590.55" | 708.66" | 708.66" |
| Media Thickness | 1.5mm | 1.5mm | 1.5mm | 1.5mm | 1.5mm | 1.5mm |
| Maximum Resolution | 2400 x 1200 dpi | 2400 x 1200 dpi | 2400 x 1200 dpi | 2400 x 1200 dpi | 2400 x 1200 dpi | 2400 x 1200 dpi |
| Print Speed | 16" x 20" prints from 1:47 to 3:17 | 16" x 20" prints from 1:47 to 3:17 | 16" x 20" prints from 1:47 to 3:17 | 16" x 20" prints from 1:47 to 3:17 | 23.4" x 33" prints from 2:02 to 4:04 | 23.4" x 33" prints from 2:02 to 4:04 |
| • | 20" x 30" prints from 2:55 to 5:33 | 20" x 30" prints from 2:55 to 5:33 | 20" x 30" prints from 2:55 to 5:33 | 20" x 30" prints from 2:55 to 5:33 | · | 20" x 30" prints from 2:55 to 5:33 |
| | | | 40" x 60" prints from 8:33 to 15:30 | 40" x 60" prints from 8:33 to 15:30 | | |
| Ink Configuration | C, LC, VM, VLM, Y, | C, LC, VM, VLM, Y, | C, LC, VM, VLM, Y, | C, LC, VM, VLM, Y, | C, LC, VM, VLM, Y, PK, MK, | C, LC, VM, VLM, Y, PK, MK, |
| - | LGY, GY, DGY, PK, MK | LGY, GY, DGY, PK, MK | LGY, GY, DGY, PK, MK | LGY, GY, DGY, PK, MK | GY, LGY, O, G, V | GY, LGY, O, G, V |
| Ink Cartridge Size | 700 mL | 700 mL | 700 mL | 700 mL | 150, 350 or 700 mL | 150, 350 or 700 mL |
| Take Up Reel | Optional | Included | Optional | Included | N/A | Optional |
| • | • | | - p | | | |
| | | | | | | |

Additional modules not pictured - visit grimco.com to see more!

FLATBED APPLICATOR TABLES

SOFTWARE















ROUTERS & FLATBED CUTTERS



KONGSBERG
Precision Cutting Systems
Kongsberg X-24



Precision Cutting Systems

Kongsberg C-64



Graphtec FXC2000 Flatbed Cutter















TRIMMERS, CUTTERS, & PANEL SAWS







Javelin 2 Series



Sabre 2 Series



Patrick Series









Saw Trax Basic Varies in size



Saw Trax Sign Maker's Package Varies in size



Foster On-A-Roll Lifter Universal









Fletcher Substrate Cutter (FSC)



Flexible/Semi Ridge Cutter Gemini Series, Titan Series



Free Standing Electric Trimmer





Why Choose Grimco® for your printer & equipment purchase?

At Grimco[®], our goal is to help you select the right product at the right price to grow your business. Our Partner Certified sales team will assist you in making the right decision. Grimco[®] is the largest dealer of wide format printers and sign making equipment in the signage industry.



Printer Experts

Our printer sales team members are trained professionals having completed vendor certified training programs to insure you have all the facts for your decision.



Financing Options

Grimco® offers the most competitive leasing and financing options with a simple application process and approval possible in just minutes. "Click Here for Financing" is on all our printer pages at Grimco.ca



Intallation and Training

Our experienced, factory certified technicians have consistently earned the highest customer satisfaction ratings from independent customer surveys.



Post Sale Support

Your ink and supplies are available same day or next day from our 7 locations throughout Canada. You can also order 24/7 at Grimco.ca



Post Sale Ink and Supplies

Your ink and supplies are available same day or next day from our stocking locations throughout the Canada. Order 24/7 on Gimco.ca and get extra discounts.



HARDWARE OFFERING www.grimco.ca | 800.263.1421